

April 2008 Page 1

Product number: R51230B

Product name: Silia Bond® Propylsulfonic Acid

Company: SiliCycle Inc.

Address: 2500 Parc-Technologique Blvd, Quebec City, QC, Canada, G1P 4S6

Phone: 418-874-0054 Fax: 418-874-0355

SECTION 1 CHEMICAL IDENTIFICATION

Product number: R51230B

Product name: Propylsulfonic Acid-Derivatized Silica Gel

SECTION 2 COMPOSITION AND INFORMATION ON INGREDIENTS

CAS number: None

SECTION 3 HAZARDS IDENTIFICATION

Harmful by inhalation Irritating to eyes

Irritating to respiratory tracts
Do not inhale the dust

SECTION 4 FIRST AID MEASURES

Contact with the skin: Wash skin with soap and copious amounts of water for at least 15 minutes.

Contact with eyes: Flush eyes with copious amounts of water for at least 15 minutes.

Raise eyelids with fingers for a good wash.

Inhalation: Remove to fresh air. If not breathing give artificial respiration.

If breathing is difficult, give oxygen and call a physician.

Ingestion: Wash the mouth with water. Call a physician.

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing media: Carbon dioxide, water spray, foam, dry chemical powder

Special firefighting: Wear self-contained breathing apparatus and protective clothing to prevent the

risks of contact with skin and eyes.

Unusual fire and explosions hazards:

Emits toxic fumes under fire conditions



April 2008 Page 2

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

Individual precautionary measures:

Wear respirator, chemical safety goggles, rubber boots and heavy rubber

gloves.

Precautionary measures for the environmental protection:

Sweep up, place in a bag and hold for waste disposal.

Avoid raising dust.

Ventilate area and wash spill site after material pickup is complete.

SECTION 7 HANDLING AND STOCKING

Refer to section 8

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Safety shower and eye bath Use only in a fume hood. Do not breathe dust.

Avoid the contact with eyes, skin and clothes. Avoid prolonged or repeated exposure.

Keep tightly closed.

Manipulate and store in a fresh (cool) and dry place under an inert atmosphere.

Wash the safety equipment after manipulation.

Respiratory Protection: Approved respirator NIOSH/MSHA

Skin Protection: Chemical-resistant gloves

Eyes Protection: Safety goggles

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Aspect: Powder Color: White

SECTION 10 STABILITY AND REACTIVITY

Stability: Stable

Condition to be avoided: Protect from moisture

Material to be avoided: Hydrofluoric acid, strong acids, strong bases, oxidizing agents

Produced by decomposition: Toxic fumes



April 2008 Page 3

#### SECTION 11 TOXICOLOGICAL INFORMATION

May cause irritation
May cause skin irritation
May be harmful if swallowed

May be harmful if absorbed through the skin

May be irritating to mucous membranes and upper respiratory tract To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### SECTION 12 ECOLOGICAL INFORMATION

See section 13

#### SECTION 13 DISPOSAL CONSIDERATIONS

General: Do not throw residues in the sewer, have this product and its recipient

eliminated in a centre that specialize in dangerous or special waste disposal.

### SECTION 14 INFORMATION RELATIVE TO TRANSPORT

\* By ground and water way Naming of expedition:

Route-ADR, load (Group of packaging)

Rail-RID load N°ONU: Label:

\* Sea routes

Naming of expedition: Sea-class OMCI: Group of packaging:

N°ONU: Label:

\* Air traffic

Naming of expedition: Air-class OACI/IATA Group of packaging:

N°ONU: Label:



April 2008 Page 4

### SECTION 15 REGULATORY INFORMATION

Caution: Substance not yet fully tested

R20/21/22: Harmful by inhalation, by contact with skin and by ingestion.

R22: Do not inhale dust.

S36/37/39: Wear suitable protective clothing.

### SECTION 16 OTHER INFORMATION

Recommended uses: Consult brochures relative to this product and to its applications.

The information formulated in the present document is based on the knowledge of qualified experts within SiliCycle Inc. We believe that this information is exact but can not be guaranteed. That is why this document should be used as a guide. As SiliCycle Inc. can not control the use of this information as well as the terms of service of the product, SiliCycle Inc. can not be considered responsible for any damage resulting from the handling, from the contact and/or from the use of this product.